

Lavabo / Washbasin / Vasque / Lavatório / Lavabo

sanydur gel coat white matt



Acabados / Finishes / Finition / Acabamento / Finitura



WM



Blanco mate
White matt
Blanc mat
Brilho mate
Bianco opaco

Incluido / Included / Inclus / Incluído / Incluso



Kit de fijación
Fixation Kit
Kit de fixation
Kit de fixação
Kit di fissaggio

Medidas / Measures / Mesures / Medidas / Misure



cm


ref.	A	B	C	P kg	P' kg	V cmxcmxcm
LV30706046101SWM	60	30	8	17,5	18,5	66x52x15
LV30708046101SWM	80	40	15	19,5	20,5	86x52x15
LV30710046101SWM	100	50	25	24,5	25,6	106x52x15
LV30712046101SWM	120	60	35	27,5	28,7	126x52x15

P: Peso neto / Net weight / Poids net / Peso líquido / Peso netto


P': Peso de expedición / Expedition Weight / Poids d'expédition / Peso do expedição / Peso spedizione

V: Volumen de expedición / Expedition Volume / Volume d'expédition / Volume do expedição / Volume spedizione

Opciones / Options / Options / Opções / Opzioni



Mecanizado para grifería especial
Special taps holes
Trous pour robinets spécial
Usinagem do griferia especiais
Lavorazione del foro per rubinetteria speciali



Mecanizado para toallero frontal
Front towel rail machining
Usinage pour porte-serviettes avant
Usinagem para toalheiro frontal
Lavorazione del portasciugamani anteriore

sanydur gel coat white matt



Blanco mate
 White matt
 Blanc mat
 Brilho mate
 Bianco opaco

Kit de fijación
Fixation Kit
Kit de fixation
Kit de fixação
Kit di fissaggio

Technical drawing of a mechanical part showing front and top views with dimensions.

Front View (Top):

- Overall width: 10
- Segment E: Distance from left edge to first U-shaped feature.
- Segment F: Distance between the two U-shaped features.
- Segment D: Distance between the two U-shaped features (labeled F in the image).
- Segment F: Distance from second U-shaped feature to right edge.

Top View (Bottom):

- Overall width: 46
- Overall height: 20
- Internal height segments: 12 and 26
- Internal width segments: C and B
- Overall width segment: A
- Two circular features with diameter $\varnothing 4,6$ are located within the part.


ref.	A	B	C	D	E	F
LV30712046102S	120	62,5	28,5	22,5	8,8	40
LV30714046102S	140	67,5	36	36	11,5	50
LV30716046102S	160	77,5	41	41	16,5	50

ref.	P kg	P' kg	V cmxcmxcm
LV30712046102S	29,5	30,7	126x52x15
LV30714046102S	31,5	32,8	146x52x15
LV3071046102S	33,5	34,9	166x52x15


V: Volumen de expedición / Expedition Volume / Volume d'expédition / Volume do expedição / Volume spedizione

A perspective view of a rectangular component. It features a long, narrow slot on its front face and a small circular feature on its top surface.


Mecanizado para toallero frontal
Front towel rail machining
Usinage pour porte-serviettes avant
Usinagem para toalheiro frontal
Lavorazione del portasciugamani anteriore



SOLIDTWMEC
Mecanizado para toallero frontal
Front towel rail machining
Usinage pour porte-serviettes avant
Usinagem para toalheiro frontal
Lavorazione del portasciugamani anteriore



Indique el mecanizado de toallero que desea / Indicate the towel rail machining that you want / Indiquez l'usinage de porte-serviettes que vous voulez / Indique a usinagem de toalha que deseja / Indicare la lavorazione del portasciugamani da stiro desiderato



LV30706046101S / LV30708046101S / LV30710046101S / LV30712046101S

☐

LV30712046102S / LV30714046102S / LV30716046102S

☐

☐

☐